



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/582,760	06/30/2000	DAVID J TIGHE	540-204	2799

23117 7590 02/10/2004
NIXON & VANDERHYE, PC
1100 N GLEBE ROAD
8TH FLOOR
ARLINGTON, VA 22201-4714

EXAMINER

BAREFOOT, GALEN L

ART UNIT PAPER NUMBER

3644

DATE MAILED: 02/10/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

**UNITED STATES DEPARTMENT OF COMMERCE****U.S. Patent and Trademark Office**

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

APPLICATION NO./ CONTROL NO.	FILING DATE	FIRST NAMED INVENTOR / PATENT IN REEXAMINATION	ATTORNEY DOCKET NO.
---------------------------------	-------------	---	---------------------

EXAMINER

ART UNIT	PAPER
----------	-------

20040205

DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner for Patents


The reply briefs of 1/31/2003 and 6/10/2003 have been noted

Enclosed is a copy of all the 1449 forms submitted (6/30/2000 and 11/02/2000) that have been considered and noted by the examiner. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Galen L Barefoot whose telephone number is 703-308-2567. The examiner can normally be reached on flex.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Charles Jordan can be reached on 703-306-4159. The fax phone number for the organization where this application or proceeding is assigned is 703-305-7687.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-1113.

February 5, 2004


Galen Barefoot
Primary Examiner
Technology Center 3644